ELSEVIER

Volumes 92–93, 30 August 1999

Journal of
Materials
Processing
Technology

www.elsevier.com/locate/jmatprotec

Contents

Special Issue: Proceedings of "Advances in Materials and Processing Technologies", 22–26 July 1997, Guimarães, Portugal

Preface xiii
Organisers and Sponsors xiv

Metallic Materials

Metal matrix composites: production by the stir casting method 1
J. Hashim, L. Looney, M.S.J. Hashmi

The modelling of hardenability using neural networks 8
L.A. Dobrzański, W. Sitek

High-speed steels: increasing wear resistance by adding ceramic particles 15
M.M. Oliveira, J.D. Bolton

Transient liquid phase sintering of Fe–Cu–Ti compacts 21
T. Pieczonka, W.A. Kaysser, G. Petzow

Evaluation of the heat of solidification of cast irons from continuous cooling curves 25
M.J. Oliveira, L.F. Malheiros, C.A. Silva Ribeiro

Relationship between the DTA peak and the phase diagram: symbiosis between a thermodynamic database and a DTA curve 31
M.H. Braga, L.F. Malheiros, J.M.V. Machado, O.M. Freitas

The recycling of metals by plastic deformation: an example of recycling of aluminium and its alloys chips 35
J. Gronostajski, A. Matuszak

Thixo-forming of Al–Cu alloys 42
M.M. Rovira, B.C. Lancini, M.H. Robert

The reasons for structural defects arising in forgings of aluminium alloys analysed using the finite element method 50
W. Weroński, A. Gontarz, Z. Pater

Retrogression and re-ageing of 7075 aluminium alloy: microstructural characterization 54
F. Viana, A.M.P. Pinto, H.M.C. Santos, A.B. Lopes

The development of the welding procedures and fatigue of butt-welded structures of aluminium-AA5383 60
R.C. Calcraft, M.A. Wahab, D.M. Viano, G.O. Schumann, R.H. Phillips, N.U. Ahmed

Wear behaviour of aluminum reinforced with nickel aluminide MMCs 66
C.E. da Costa, W.C. Zapata, F. Velasco, J.M. Ruiz-Prieto, J.M. Torralba

Solidification process and characterisation of a mass–gravity foundry ingot 71
C. Thiébaut, D. Dall'ava, J.C. Maubrou, G. Paradis, H. Combeau, G. Lesoult, N. Tran-Dihn

Ceramic Materials

Processing and properties of nanophase ceramics 77
R. Vaßen, D. Stöver

The role of Al_2O_3 impurities on the microstructure and properties of Y-TZP 85
S.N.B. Hodgson, J. Cawley, M. Clubley

The preparation of the single-phase perovskite $LaNiO_3$ 91
A.K. Norman, M.A. Morris

Elsevier Science S.A.

Optimization of the sintering process of raw material wastes 97
M.T. Vieira, L. Catarino, M. Oliveira, J. Sousa, J.M. Torralba, L.E.G. Cambronero, F.L. González-Mesones, A. Victoria

The effect of brazing temperature on the titanium/glass-ceramic bonding 102
A. Guedes, A. Pinto, M. Vieira, F. Viana

Properties of Ni/YSZ porous cermets for SOFC anode substrates prepared by tape casting and coat-mix process 107
D. Simwonis, H. Thülen, F.J. Dias, A. Naoumidis, D. Stöver

Carbothermal reduction and nitridation of silica: nuclei planar growth controlled by silicon monoxide diffusion on the reducer surface 112
F. Lencart-Silva, J.M. Vieira

The magnetic and structural properties of a series of lanthanum based transition metal perovskites 118
A.K. Norman, M.A. Morris, F.A. Deeney

Polymeric Materials

Mechanics of wetting systems of natural fibres with polymeric resin 124
J.L.G. Silva, H.A. Al-Qureshi

Microstructural and wettability study of surface pretreated glass fibres 129
J. González-Benito, J. Baselga, A.J. Aznar

Machining optimisation in carbon fibre reinforced composite materials 135
J.R. Ferreira, N.L. Coppini, G.W.A. Miranda

A comparison of paste rheology and extrudate strength with respect to binder formulation and forming technique 141
O. Draper, S. Blackburn, G. Dolman, K. Smalley, A. Griffiths

Atomistic modelling of interfacial bonding at metal/polymer interface 147
M.M.D. Ramos, J.P.P. Almeida

Thermal diffusivity measurements of vapour grown carbon fibre composites, using the optical beam deflection technique . . . 151
F.J. Macedo, J.A. Ferreira, F.W.J. Van Hattum, C.A. Bernardo

Functional coatings

The influence of ductile interlayers on the mechanical performance of tungsten nitride coatings 156
M.T. Vieira, A.S. Ramos

The influence of small additions of Ni, Ti and C on the oxidation behaviour of sputtered tungsten coatings 162
C. Louro, A. Cavaleiro

The effect of the addition of Al and Si on the physical and mechanical properties of titanium nitride. 169
F. Vaz, L. Rebouta, M. Andritschky, M.F. da Silva, J.C. Soares

Mechanical characterisation of TiN/ZrN multi-layered coatings 177
C.J. Tavares, L. Rebouta, M. Andritschky, S. Ramos

Relationship between erosion resistance and the phase and chemical composition of PVD coatings deposited onto high-speed steel 184
L.A. Dobrzański, M. Adamiak, G.E. D'Errico

Properties of the surface layers on titanium alloy and their biocompatibility in in vitro tests 190
E. Czarnowska, T. Wierzchoń, A. Maranda-Niedbaa

Directions of the development of thermal barrier coatings in energy applications 195
D. Stöver, C. Funke

Component repair using HVOF thermal spraying 203
J.C. Tan, L. Looney, M.S.J. Hashmi

Analysis of residual stresses in thermal barrier coatings 209
V. Teixeira, M. Andritschky, W. Fischer, H.P. Buchkremer, D. Stöver

Changes in porosity and Young's Modulus due to sintering of plasma sprayed thermal barrier coatings 217
B. Siebert, C. Funke, R. Vaßen and D. Stöver

Experimental results of high speed wire coating using a combined hydrodynamic unit 224
S. Akter, M.S.J. Hashmi

Measurements of ECR silane plasma parameters 230
Y. Kawai, Y. Ueda, M. Morimoto, S. Hiejima, I. Katsumata

Temperature dependence of the first order Raman scattering in thin films of μc-Si:H 235
M.F. Cerqueira, J.A. Ferreira

Synthesis of NiS_2 thin films Electrical and optical properties 239
I.J. Ferrer, C. Sánchez

Simulation of the thermo-mechanical behavior and residual stresses in the spray coating process 243
D.Y. Ju, M. Nishida, T. Hanabusa

A study of coatings for end mills in high speed metal cutting 251
G.E. D'Errico, E. Guglielmi, G. Rutelli

Application of Weilbull statistics to the failure of coatings 257
J.B. Almeida

Influence of knife-surfaces modification with hard coatings on the peeling wood process 264
P. Beer, M.A. Djouadi, R. Marchal, A. Sokolowska, M. Lambertin, S. Miklaszewski

Structural, chemical and optical characterisation of Ge-doped SiO_2 glass films grown by magnetron rf-sputtering 269
A.G. Rolo, O. Conde, M.J.M. Gomes, M.P. dos Santos

Fabrication and Processing

Arc sawing of nickel based superalloys in aqueous electrolytes 274
M.A. Paul, N.C. Hodkinson, D.K. Aspinwall

Hard chromium plating of EDT mill work rolls 281
J. Simão, D.K. Aspinwall

The use and misuse of statistical tools. 288
L.M.M. Ribeiro, J.A. Sarsfield Cabral

Temperature measurement when high speed machining hardened mould/die steel. 293
R.C. Dewes, E. Ng, K.S. Chua, P.G. Newton, D.K. Aspinwall

Temperature effects in the drilling of human and bovine bone 302
M.T. Hillery, I. Shuaib

Flow patterns in twin-screw extruders 309
O.S. Carneiro, G. Caldeira, J.A. Covas

New industrial technology for producing mill balls in a continuous-casting deformation complex 316
S.P. Bourkine, E.A. Korshunov, Y.N. Loginov, N.A. Babailov, V.A. Tchestnov

Combined ultrasonic and electrical discharge machining of ceramic coated nickel alloy 323
T.B. Thoe, D.K. Aspinwall, N. Killey

Tool wear characteristics in turning of titanium alloy Ti-6246 329
A. Jawaid, C.H. Che-Haron, A. Abdullah

Dimensional accuracy and cost optimisation in the finish machining of cold formed parts. 335
J. Kopač, M. Soković

Cutting force modeling using artificial neural networks. 344
T. Szecsi

A DC motor based cutting tool condition monitoring system 350
T. Szecsi

Strengthening of hardmetal inserts for cutting tools through heat treatment and surface modifications (PVD, CVD coatings) 355
M. Szutkowska

Controlling of overfilling in food processing 360
J.S. Ridgway, K.S. Henthorn, J.B. Hull

Manufacture and stress rupture properties of hipped austenitic-ferritic transition joints 368
H.P. Buchkremer, P.J. Ennis, D. Stöver

An applied database system for the optimization of cutting conditions and tool selection 371
M.V. Ribeiro, N.L. Coppini

On the deep drawing of cups with punch and blank-holding forces proportional to a hydraulic pressure 375
S. Thiruvarudchelvan, F.W. Travis, T.K. Poh

Interaction of the technological history of a workpiece material and the machining parameters on the desired quality of the surface roughness of a product 381
J. Kopač and M. Bahor

Characterization

Failure probability analysis for a RBSN cylinder with a SiC coating subjected to a radial heat flux 388
P. Stanley, F.S. Chau

Characterization of mechanically alloyed Fe–Cr–Sn alloys 395
B.F.O. Costa, G. Le Caër, S. Begin-Colin, P.J. Mendes, N. Ayres de Campos

Modelling and Simulation

Finite element modelling of shot-peening residual stresses 401
S.A. Meguid, G. Shagal, J.C. Stranart

Finite-element prediction of distortion during gas metal arc welding using the shrinkage volume approach 405
A. Bachorski, M.J. Painter, A.J. Smailes, M.A. Wahab

Finite element simulation of bulge forming of an elbow of box section from circular tube 410
M. Ahmed, M.S.J. Hashmi

Numerical determination of forming limit diagrams of orthotropic sheets using the '3G' theory of plasticity 419
A. Haddad, P. Vacher, R. Arrieux

Elasto-plastic finite-element analysis of the cold expansion of adjacent fastener holes 424
P. Papanikos, S.A. Meguid

Limit strains in the sheet metals by using the new Hill's yield criterion (1993) 429
D. Banabic

Prediction of forming limit in bore-expanding of sheet metals using ductile fracture criterion 433
H. Takuda, K. Mori, H. Fujimoto, N. Hatta

A new shape complexity factor 439
B. Tomov

Modelling and description of the near-net-shape forging of cylindrical spur gears 444
B.I. Tomov, V.I. Gagov

Simulation of deformation and temperature in multi-pass three-roll rolling 450
K. Komori

Study of the process stability of cross wedge rolling 458
Z. Pater, W. Weroñski, J. Kazanecki, A. Gontarz

The thermal–mechanical and microstructural model for the FEM simulation of hot plate rolling 463
H. Dyja, P. Korczak

Numerical simulation of the cross wedge rolling process including upsetting 468
Z. Pater

Inertia effects on the prediction of ductile damage 474
C. Staub, J.C. Boyer

High strain rate effects on the strain of alloy steels 481
M. Nabil Bassim, N. Panic

Design of process parameters for dual phase steel production with strip rolling using the finite-element method 486
M. De Cosmo, L.M. Galantucci, L. Tricarico

Thermo-mechanical simulation of a rolling process with an FEM approach 494
L.M. Galantucci, L. Tricarico

Numerical simulation of failure prediction for ceramic tools: comparison with forging test results 502
F. Deschaux-Beaume, F. Schmidt, N. Fréty, T. Cutard, J.C. Boyer, C. Levaillant

Pole instability theory for ellipsoidal bulging of rolled sheet 508
D.W.A. Rees

Magnetic Materials

Protection of NdFeB magnets by ultra-thin sol–gel derived films 518
S.N.B. Hodgson, C.G. Hoggarth, H.A. Davies, R.A. Buckley

Preparation of Fe–Zr–B amorphous alloys by chemical reduction 525
G.D. Forster, L.F. Barquín, N.S. Cohen, Q.A. Pankhurst, I.P. Parkin

Structure and reaction with lithium of tetragonal pyrochlore-like compound $Sm_2Ti_2O_7$ 529
M.E. Rabanal, A. Várez, U. Amador, E. Arroyo y Dompablo, F. Garća-Alvarado

Giant magneto-resistive granular films grown by laser ablation 534
J.A. Mendes, M.M. Pereira de Azevedo, M.S. Rogalski, J.B. Sousa

Author Index of Volumes 92–93 539
Subject Index of Volumes 92–93 541

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**